

XD 26/1.A

# JUNCTION TERMINAL BUSHINGS



**...For Insulated  
Quick connection  
or disconnection—  
mates with standard  
female terminations**

**HEYMAN MANUFACTURING COMPANY**  
**KENILWORTH** **NEW JERSEY**



26/11/77



D13-24


# NYLON JUNCTION

USED IN ELECTRICAL AND ELECTRONIC APPLICATIONS SUCH AS: CONTROL DEVICES, MOTORS, APPLIANCES, DATA PROCESSING EQUIPMENT

3-27-63




**DC-101 (3/16" Terminal)**



**DC-102 (2-3/16" Terminals)**  
**DC-68-2-2 (2-1/4" Terminals)**  
**DC-87-3-2 (3-1/4" Terminals)**



**DC-251 (1/4" Terminal)**  
**DC-68-1-2 (1/4" Terminal)**



## Important Features:


1. Eliminates permanently attached "pig-tails"
2. Mate with 3/16" or 1/4" standard female disconnect wire terminations
3. Snap-in assembly
4. Completely insulated Nylon body
5. Color coded
6. Miniature size
7. Can be used as jack, or plug-in receptacle

### STANDARD COLORS:

Black, White, Red, Blue, Yellow, Green and Brown.

### TERMINAL TABS:

Bushings are supplied without tabs. Each bushing requires terminal tabs which are detailed and priced on page 4.



## BUSHING PRICE LIST

(Tabs not included or assembled. See page 4 for Tab prices.)

MOUNTING HOLE A	B	C	D	E	F	TERMINAL TAB SIZE	PART NO.	100 to 10,000	10,000 to 100,000	100,000 and over
.437"	.390"	31/64"	27/64"	9/64"	.078"	3/16"	<b>DC-101</b>	\$2.50/C	\$2.10/C	\$1.95/C
.437"	.390"	31/64"	27/64"	9/64"	.078"	3/16"	<b>DC-102</b>	2.50/C	2.10/C	1.95/C
.500"	.465"	17/32"	1/2"	5/32"	.127"	1/4"	<b>DC-251</b>	2.60/C	2.20/C	2.05/C
.687"	.625"	25/32"	17/32"	3/16"	.127"	1/4"	<b>DC-68-2-2</b>	3.50/C	3.10/C	2.75/C
.687"	.625"	25/32"	17/32"	3/16"	.127"	1/4"	<b>DC-68-1-2</b>	3.50/C	3.10/C	2.75/C
.875"	.825"	61/64"	1/2"	7/64"	.127"	1/4"	<b>DC-87-3-2</b>	4.25/C	3.85/C	3.50/C

TERMS: 1% 10th-25th, Net 30 Days  
F.O.B. Shipping Point

Prices Subject to Change  
Without Notice


Rec'd 3-27-63

SEE BACK PAGE FOR TERMS




# TERMINAL BUSHINGS


MENT, VENDING MACHINES, CHART RECORDING EQUIPMENT, AND WHEREVER QUICK CONNECTION OR DISCONNECTION IS DESIRABLE



**DC-201 (3/16" Terminals)**



**DC-202 (1/4" Terminals)**



## Important Features:

1. Eliminates permanently attached "pig-tails"
2. Mate with 3/16" or 1/4" standard female disconnect wire terminations
3. Snap-in assembly
4. Completely insulated Nylon body
5. Color and number coded
6. Available in single or connected groups thru five units
7. Adjusts and fits into curved and flat surfaces

### STANDARD COLORS:

Black, White, Red, Blue, Yellow, Green and Brown.

### TERMINAL TABS:

Bushings are supplied without tabs. Each bushing requires terminal tabs which are detailed and priced on page 4.

### BUSHING PRICE LIST

(Tabs not included or assembled. See page 4 for Tab prices.)

PART NO.	100 to 10,000	10,000 to 100,000	100,000 and over
DC-201-1	1.50/C	1.10/C	.95/C
DC-202-1	1.50/C	1.10/C	.95/C

These prices are for single units without tabs. They may also be supplied in connected units of two, three, four or five, which are numbered. When ordering please specify number sequence if required.

Suffix of part number indicates number of connected units.







Prices on the connected units are as above, but multiplied by the number of units.

TERMS: 1% 10th-25th, Net 30 Days

F.O.B. Shipping Point

Prices Subject to Change Without Notice

### MOUNTING HOLE SIZES



DC-201 For 3/16" Terminal

DC-202 For 1/4" Terminal

PART NO.


DC-201-1  
DC-202-1

DC-201-2  
DC-202-2

DC-201-3  
DC-202-3

DC-201-4  
DC-202-4

DC-201-5  
DC-202-5




MOUNTS IN MOST ANY CURVED SURFACE





# TERMINAL TABS



- \* { USE 3/16" TERMINAL TABS WITH DC-101, 102 & 201 BUSHINGS  
 USE 1/4" TERMINAL TABS WITH DC-202, 251, 68-1-2, 68-2-2 & 87-3-2 BUSHINGS

## PRICE LIST

TYPE	A	B	C*	PART NO.	100 to 10,000	10,000 to 100,000	100,000 and over
SOLDER	39/64"	13/32"	3/16"	T-101-S	\$.50/C	\$.40/C	\$.35/C
	39/64"	13/32"	3/16"	T-201-S	.50/C	.40/C	.35/C
	51/64"	15/32"	1/4"	T-202-S	.60/C	.50/C	.45/C
	41/64"	15/32"	1/4"	T-202-SS	.60/C	.50/C	.45/C
CRIMP **	39/64"	13/32"	3/16"	T-101-C	.50/C	.40/C	.35/C
	39/64"	13/32"	3/16"	T-201-C	.50/C	.40/C	.35/C
	51/64"	15/32"	1/4"	T-202-C	.60/C	.50/C	.45/C
DOUBLE MALE	11/16"	13/32"	3/16"	T-101-D	.50/C	.40/C	.35/C
	11/16"	13/32"	3/16"	T-201-D	.50/C	.40/C	.35/C
	53/64"	15/32"	1/4"	T-202-D	.60/C	.50/C	.45/C

BUSHINGS AND TABS ARE SHIPPED UNASSEMBLED.  
 IF ASSEMBLY OF TABS INTO BUSHING IS REQUIRED ADD .50/C

ADD .05/C FOR ELECTROLYTIC TIN PLATING

All parts made of Brass and packed in Bulk. Except Crimp Type  
 Terminal Tabs which are available in Both Bulk and Strip Form.

### \*\*ASSEMBLY TOOLS FOR CONNECTING CRIMP TAB TO WIRE

Bulk Parts Assembly Tool ..... \$50.00  
 Semi-Automatic Assembly Tool for Strip Terminals ..... \$100.00  
 Automatic Machine for Strip Terminals ..... with  
 1-up Die and 3 Ton Press, Motor Drive, Starter Switch, Utility Light, Flywheel  
 Guard, and Reel Stand. Die Only \$375.00, Press \$425.00, Complete Unit \$800.00  
 Assembly Pliers #T-1-2 For Assembling Tabs into Bushings ..... \$10.00 each

BULLETIN 41B

Patent No. 2,931,006  
 and Patent Pending

PRINTED  
 IN  
 U.S.A.

**HEYMAN MANUFACTURING COMPANY**  
**KENILWORTH NEW JERSEY**